

9/2/04



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/033,396	12/27/2001	David Botstein	GNE.2930R1C4	1010
------------	------------	----------------	--------------	------

7590 04/19/2004

Ginger R. Dreger  
 Knobbe Martens Olson & Bear  
 Suite 1150  
 201 California Street  
 San Francisco, CA 94111

EXAMINER
----------

FREDMAN, JEFFREY NORMAN

ART UNIT	PAPER NUMBER
----------	--------------

1637

DATE MAILED: 04/19/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

9M-

## Office Action Summary

Application No.

10/033,396

Applicant(s)

BOTSTEIN ET AL.

Examiner

Jeffrey Fredman

Art Unit

1637

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 01 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 22-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 22-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Election/Restrictions***

Applicant correctly notes that claims 1-21 were cancelled and claims 22-27 were added. Therefore, the restriction is withdrawn as moot and not relevant to the claims as they were pending when the restriction was mailed. Applicant certainly retains all rights to file for other inventions as noted in the response.

### ***Claim Rejections - 35 USC § 101***

1. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. Claims 22-27 are rejected under 35 U.S.C. 101 because the claimed invention lacks patentable utility.

The current claims are drawn to a genus of antibodies which bind to a protein termed Pro-539 (SEQ ID NO: 7) or portions thereof, in the specification, where the protein has the amino acid sequence of SEQ ID NO: 7.

### **Credible Utility**

Following the requirements of the Utility Guidelines (See: Federal Register: December 21, 1999 (Volume 64, Number 244), revised guidelines for Utility.), the first inquiry is whether a credible utility is cited in the specification for use of the antibody or of the Pro-539 protein to which it binds. The cited utilities in the specification include overexpression in cancer. These utilities are credible.

Upon identification of credible utilities, the next issue is whether there are any well established utilities for the PRO 539 polypeptide or antibody. A review of the

Art Unit: 1637

specification and of the prior art finds no well established utilities for unknown proteins and antibodies whose activity, whose enzymatic or other biochemical function and whose cellular roles are entirely unknown and undisclosed in the specification.

The next inquiry is whether there are substantial or specific utilities for the antibody to PRO 539 protein which are identified in either the specification or in the prior art.

### **Substantial utility**

Here, the evidence in the specification provided is that the nucleic acid which encodes the PRO 539 protein is overexpressed in cancer cells. The level of overexpression of PRO 539 was minimal, not even a two fold overexpression in any cell type. Further, no statistical data was presented to show that the overexpression was significant in any way, with no P-value or other statistical measure to demonstrate that the overexpression was a real effect and not simply produced by chance.

This data further lacks any of the hallmarks of utility because the overexpression of the nucleic acid is not relevant to the utility of the protein and antibody. There is no evidence that the protein itself is overexpressed. Meric et al (Molecular Cancer Therapeutics (2002) 1:971-979) in a discussion of regulation of gene activity in cancer notes that "Gene expression is quite complicated, however, and is also regulated at the level of mRNA stability, mRNA translation and protein stability (page 971, column 1)." So Meric teaches that there is not necessarily a correlation between mRNA levels and protein levels in cancer cells, since the regulation may occur at levels other than that of

the mRNA, such as in the level of translation of the mRNA or in the stability of the protein.

The absence of any necessary correlation between increased mRNA levels and increased protein levels is made explicit by Gokman-Polar (Cancer Research (2001) 61:1375-1381) who teaches "Quantitative reverse transcription-PCR analysis revealed that PKC mRNA levels do not directly correlate with PKC protein levels, indicating that PKC isozyme expression is likely regulated at the posttranscriptional/translational level (see abstract)." Gokman-Polar show in figures 6 and 7 that there is no increase in mRNA expression for any of the isozymes, while the protein is significantly overexpressed as shown by figures 4 and 5. This demonstrates that there is no relationship between mRNA levels and protein levels.

A further evidentiary showing is provided by Pennica et al (Proc. Natl. Acad. Sci. USA (1998) 95:14717-14722) who shows that WISP-2 DNA was amplified in cancer cells but was actually demonstrated REDUCED RNA expression (see abstract). This provides additional evidence that there is no relationship between gene amplification and mRNA levels, since mRNA levels have no necessary correlation with gene amplification.

So not only is there no necessary connection between the level of protein in a cell and the amount of mRNA, but there is also no necessary correlation between the amount of DNA in a cell and the amount of mRNA. Therefore, any evidence by Applicant showing overexpression of one component does not provide utility for the protein itself.

Further, given the breadth of these claims which encompass any antibody to the Pro-539 polypeptide, there is an abundance of evidence that very similar proteins can perform very different functions. For example, Rost et al (J. Mol. Biol. (2002) 318(2):595-608) notes regarding assignment of enzymatic activity based upon homology comparisons that "The results illustrated how difficult it is to assess the conservation of protein function and to guarantee error-free genome annotations, in general: sets with millions of pair comparisons might not suffice to arrive at statistically significant conclusions (abstract)." Thus, even high levels of homology do not necessarily correlate with actual protein function. In the current case, where the function of PRO-539 (SEQ ID NO: 7) is not known, the expectation is even lower that there is any utility that can be derived based upon the sequence.

This situation is extremely similar to example 12 of the Utility Guidelines, where a protein which was known to be a receptor, but where the ligand was unknown, was found to lack utility. In the current case, the putative PRO-539 protein, lacks any substantial utility whatsoever, and solely relies upon an small level of mRNA overexpression in cancer cells. However, there is no necessary relationship between the protein levels or utilities and such an overexpression of the nucleic acid. So this case is also similar to the receptor in Example 12, since it lacks a substantial utility because there is no "real world" context of use. Further research would be required to identify and reasonably confirm a "real world" context of use for PRO-539 antibodies and proteins. As noted in the utility guidelines, basic research on a product to identify

properties and intermediate products which themselves lack substantial utility are all insubstantial utilities (see page 6 of the Utility guideline training materials).

### **Specific Utility**

In the current case, even if the substantial utility argument above were found unpersuasive, there is no specific utility given for the antibody to the PRO-539 protein of SEQ ID NO: 7. The antibody to the protein, as distinguished from the nucleic acid, has not been associated with any disease, any condition, or any other specific feature. There is no association of the antibody or protein with cancer or with any other disease. As the utility guideline training materials note on page 5-6, "Similarly, a general statement of diagnostic utility, such as diagnosing an unspecified disease, would ordinarily be insufficient absent a disclosure of what condition can be diagnosed". Here, the overexpression of the nucleic acid gives no specific utility because it is entirely unrelated to uses of the protein or antibody. A protein or antibody cannot be used to detect changes in its cognate nucleic acid, as shown by the Gokman-Polar and Meric papers, where protein levels are not correlative with nucleic acid levels. Therefore, there is no specific utility for this protein until a specific ligand is identified.

Finally, with regard to the utility analysis, the current situation directly tracks Examples 4 and 12 of the utility guidelines, where a protein of entirely unknown function and a receptor with an unknown ligand was characterized as lacking utility.

### ***Claim Rejections - 35 USC § 112 – Scope of Enablement***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

Art Unit: 1637

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 22-27 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Factors to be considered in determining whether a disclosure meets the enablement requirement of 35 USC 112, first paragraph, have been described by the court in *In re Wands*, 8 USPQ2d 1400 (CA FC 1988). *Wands* states at page 1404,

“Factors to be considered in determining whether a disclosure would require undue experimentation have been summarized by the board in *Ex parte Forman*. They include (1) the quantity of experimentation necessary, (2) the amount of direction or guidance presented, (3) the presence or absence of working examples, (4) the nature of the invention, (5) the state of the prior art, (6) the relative skill of those in the art, (7) the predictability or unpredictability of the art, and (8) the breadth of the claims.”

#### The nature of the invention

The claims are drawn to an antibody to the PRO-539 protein of SEQ ID NO: 7. The invention is in a class of invention which the CAFC has characterized as “the unpredictable arts such as chemistry and biology.” *Mycogen Plant Sci., Inc. v. Monsanto Co.*, 243 F.3d 1316, 1330 (Fed. Cir. 2001).

#### The breadth of the claims

The claims broadly encompass not only a particular PRO-539 antibody but also include any antibody which binds the polypeptide of SEQ ID NO: 7.



#### Quantity of Experimentation

The quantity of experimentation in this area is extremely large since there is significant variability in the activity of polypeptides and nucleic acids. It would require significant study to identify the actual function of the PRO-539 protein and nucleic acid, and identifying a use for this protein and resultant antibody would be an inventive, unpredictable and difficult undertaking in itself. This would require years of inventive effort, with each of the many intervening steps, upon effective reduction to practice, not providing any guarantee of success in the succeeding steps.

#### The unpredictability of the art and the state of the prior art

The art is extremely unpredictable with regard to protein function in the absence of reliable information regarding the protein activity. Even very similar proteins, as shown by homology, may have very different functions (see Rost et al (J. Mol. Biol. (2002) 318(2):595-608). In the current case, where no specific information is known regarding the function of the protein in actual biological organisms, it is entirely unpredictable what function and activity will be found for this protein. The prior art does not resolve this ambiguity, since no prior art activity is identified for the protein.

This data further lacks any of the hallmarks of utility or of any enabled use because the overexpression of the nucleic acid is not relevant to the utility of the protein. There is no evidence that the protein itself is overexpressed. Meric et al (Molecular Cancer Therapeutics (2002) 1:971-979) in a discussion of regulation of gene activity in cancer notes that "Gene expression is quite complicated, however, and is also

Art Unit: 1637

regulated at the level of mRNA stability, mRNA translation and protein stability (page 971, column 1).” So Meric teaches that there is not necessarily a correlation between mRNA levels and protein levels in cancer cells, since the regulation may occur at levels other than that of the mRNA, such as in the level of translation of the mRNA or in the stability of the protein.

The absence of any necessary correlation between increased mRNA levels and increased protein levels is made explicit by Gokman-Polar (Cancer Research (2001) 61:1375-1381) who teaches “Quantitative reverse transcription-PCR analysis revealed that PKC mRNA levels do not directly correlate with PKC protein levels, indicating that PKC isozyme expression is likely regulated at the posttranscriptional/translational level (see abstract).” Gokman-Polar show in figures 6 and 7 that there is no increase in mRNA expression for any of the isozymes, while the protein is significantly overexpressed as shown by figures 4 and 5. This demonstrates that there is no relationship between mRNA levels and protein levels.

A further evidentiary showing is provided by Pennica et al (Proc. Natl. Acad. Sci. USA (1998) 95:14717-14722) who shows that WISP-2 DNA was amplified in cancer cells but was actually demonstrated REDUCED RNA expression (see abstract). This provides additional evidence that there is no relationship between gene amplification and mRNA levels, since mRNA levels have no necessary correlation with gene amplification.

So not only is there no necessary connection between the level of protein in a cell and the amount of mRNA, but there is also no necessary correlation between the

amount of DNA in a cell and the amount of mRNA. Therefore, any evidence by Applicant showing overexpression of one component does not provide utility for the antibody to the protein itself.

So it is entirely unpredictable how one would use this antibody in any context whatsoever.

#### Working Examples

The specification has no working examples that relate to the antibody or protein. The nucleic acid working examples, showing overexpression in certain cancer cell lines, are not relevant for the reasons given above. Specifically, there is no statistical showing that the overexpression of the nucleic acids is even significant in any way. Even if the nucleic acid data is deemed significant, there is no showing that the results from nucleic acids have any correlation with the protein or antibody and the art cited above demonstrates that there is no presumption of such a correlation.

#### Guidance in the Specification.

The specification provides no specific or substantial uses for the PRO-539 antibody or protein.

#### Level of Skill in the Art

The level of skill in the art is deemed to be high.

#### Conclusion

Thus given the broad claims in an art whose nature is identified as unpredictable, the unpredictability of that art, the large quantity of research required to define these


unpredictable variables, the lack of guidance provided in the specification, the presence of a working example which does not address the issue of the efficacy of the control and the negative teachings in the prior art balanced only against the high skill level in the art, it is the position of the examiner that it would require undue experimentation for one of skill in the art to perform the method of the claim as broadly written.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Fredman whose telephone number is (571)272-0742. The examiner can normally be reached on 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571)272-0782. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jeffrey Fredman  
Primary Examiner  
Art Unit 1634